



Results 1 - 100 of about 295 for the server logging into the external email system as a proxy on behalf of the PTT message sender using the stored user ID and user password and forwarding the PTT message to the email client using the external email service account. (1.02 seconds)

1. Etisalat Internet Mail Service

1) Log on to <http://www.eimmail.ae> using your user name and password ... 11) Response to External Senders. This is the message that is sent to senders who are not within This alert message is only sent to your email account if you opt to receive it POP can be thought of as a "store-and-forward" service ... www.etcakta.ae/index.jsp?lang=en&type... · Cached · Similar

2. IMS SIP

Log In. If you already have an account, log in. Username or Email Multimedia conferencing, PTT, chat all of these are based on the concept of multimedia ... from a client and then forwards the requests on the client's behalf. sends an INVITE message to the server and will forward it to the target user. ... www.scribd.com/doc/7079028/IMSSIP · Cached · Similar

3. VCL glossary

If you already have an account, log in. Username or Email Password SMTP or ESIMTP e-mail message that is produced by a T.37 on-ramp gateway or an e-mail Protocol that controls VoIP gateways using an external call control element ... Routes that have been manually provisioned into a proxy server. www.scribd.com/doc/6340172/VCLglossary · Cached · Similar
More results from www.scribd.com

4. Telepocalypse by Martin Geddes: July 2005 Archives

A next-generation email system might ever write back to senders "Martin's busy ... "Your email wasn't read while Martin was away, is this message still relevant? to push to talk, to IM and then down to store-and-forward email. Opt the user back into accepting email offers when re-displaying the form. ... www.telepocalypse.net/archives/2005_07.html · Cached · Similar

5. Cisco IOS Voice Configuration Library Glossary [Support] - Cisco ...

Interface that allows the user to interact with the operating system by entering SMTP or ESIMTP e-mail message that is produced by a T.37 on-ramp gateway or an e-mail Protocol that controls VoIP gateways using an external call control Routes that have been manually provisioned into a proxy server. www.cisco.com/en/US/docs/ios/12.../VCLgloss.html · Cached · Similar

6. [PDF] The Medical-Grade Network: Helping Transform Healthcare

File Format: PDF/Adobe Acrobat - View as HTML
The system provides user and device identification using message types, including VoIP, Internet fax, store-and-forward voicemail, and e-mail, are videoconferencing MCUs work with an external T.120 server to provide coordinated Encryption converts plain text into a disguised file or message using a ... www.cisco.com/web/strategy.../IOTCS1034_HC_Whitepaper_5.pdf · Cached · Similar
More results from www.cisco.com

7. InfoSec Baselines

Also, by its very nature, an email server requires access to the outside ... Ideally, external access to NFS service should be stopped by a firewall. The user may log in to the remote access system and then be connected to a networked Departments using ID cards or authorization badges must develop ... allisonbooks/document/secomanPart2.html · Cached · Similar

8. G

It supports an optional TCP/IP based client server mode and log based failure recovery for system ... By using the GNOME and GTK libraries for the user interface, Support for an external program for notification is planned. for one or more email accounts, and reliably delivers into a qmail-style Maildir, ... computerdictionary.fst.org/computerdictionary/terms/g.html · Cached · Similar

9. [Jean's Blog](#)

It comes complete with an **email sending service** for large files. using the same external identifiers made available for lookup within the service. **r Reply** Reply to the **message sender**. + r allows you to reply to a **message** in a new Manufacturer Product Revision Protocol User ID Password Access comment ...
www.intel.com/ctc/ctc-internal/ · [Cached](#) · [Similar](#)

10. [Interoperable Catalogue System \(ICS\) System Design Document \(SDD\)](#)

It is the **PTT** activity to interpret those requirements into that the human **user** is using to interface with the Retrieval Manager. **e-mail** Adress, Network Address, User ID, DB Name, Additional Search Info those granted to the Local Retrieval Manager using a **proxy order account**, so passthrough ...
wgcs.ceneo.org/local/documents/ics/sdd14.pdf · [Cached](#)

11. [PDF Oracle Communications and Mobility Server](#)

File Format: PDF/Adobe Acrobat
Provisioning XDMIS User Accounts Using the CommandService MBean Uses URLs for addressing—SIP uses URLs of e-mail addresses for addressing. a combination **Proxy** and **Registrar server**, and a **SIP message routing server**. An The **Logging** service is used to log and monitor system events and SIP traffic.
download.oracle.com/docs/cd/B32113_01/oms/_A31497.pdf · [Cached](#)

12. [PDF Avaya IP Office Description Call 1-800-845-8780 or email avaya...](#)

File Format: PDF/Adobe Acrobat
Push to talk (walkie-talkie) feature for broadcast communications the user can select the option to forward the message to another mailbox. **Email server** using Integrated Messaging Pro the files are compressed **External Transferred Account Code**, 3. **Account Code Log by Agent Group (Graphical)** ...
www.howtogeek.com/avaya/avaya-ip-office-technical.pdf · [Cached](#)

13. [ZyXEL Support & Downloads - Crock](#)

A system of encrypting electronic files using a single key or password. PTT, PTT is a generic European name that usually refers to state-owned Syslog logging sends a log to an external (syslog) server used to store and Internet Message Access Protocol (IMAP) is a mail server protocol that e-mail ...
www.zyxel.com/web/support_glossary.php · [Cached](#) · [Similar](#)

14. [LAWTECH GURU BLOG by Jeff Beard: Mobile Tech & Gadgets Archives](#)

Just so you're aware, if you're running as a standard **user account** in Vista I'm informed that while their **external** 1TB V2 ABSplus drives were using 3) Go into your **e-mail** program, and address and send a **message** to your cell phone. Possibly also **push-to-talk**. "From Gizmodo, "Looks like no Treo 600 ...
www.lawtechguru.com/archives/mobile_technology_gadgets.html · [Cached](#) · [Similar](#)

15. [Downloaded from <http://www.laynetworks.com> : solutions@laynetworks...](#)

Your **e-mail** program allows you to store a not-yet-ready-post **message** as An Edge Device obtains **forwarding** descriptions using the route distribution protocol. TELEPAC The Swiss PTT X.25 Network, TeleScript An object-oriented Also known as your **user ID** or login ID, USL UNIX System Laboratories: ...
www.laynetworks.com/download/pdf/ · [Cached](#) · [Similar](#)

16. [ZyXEL Support & Downloads Glossary](#)

The **user's** name and **password** are sent over the wire to a **server** where they The ID type can be a domain name, an IP address or an **e-mail** address. **s** message digest that was calculated using the MD5 algorithm. Syslog logging sends a log to an external (syslog) server used to store and analyze logs. ...
www.zyxel.com/web/support_glossary.php · [Cached](#) · [Similar](#)

17. [PDF AXIS 215 PTZ Network Camera User's Manual](#)

File Format: PDF/Adobe Acrobat - View as HTML
Audio is streamed from the **client** to the **server** over HTTP when using Motion JPEG and To use an **external** file located somewhere other than in the AXIS 215 PTZ, This example describes how to set the AXIS 215 PTZ to send an **email** within a domain has an **account** that usually allows them to **log in to** ...
www.axis.com/img/product/brochure/28901.pdf · [Cached](#)

18. [Plaxo's Personal Card, Plaxo Archives](#)

So, if you are a passionate **user** of Plaxo and an "early adopter" of new technology, When I started using Plaxo, I was confused - and anxious. This **client** release comes right on the heels of our latest Plaxo **server** release and the
<http://www.google.com/search?hl=en&q=the+server+logging+into+the+client+research+&sa=All&urlof=the+occt+&urlof=the+plaxo+&rls=images> (2 of 12) 7/13/2009 6:00:08 PM

It then sends a simple **email message** on the person's behalf,

blog.plaxo.com/archives/plaxo/ - Cache - Stats

19. [\[PDF\]](#) Isode General Services Administration Guide

File Format: PDF/Adobe Acrobat - [View as HTML](#)

4.1.3 Describing services using the isoservices file Isode sends release announcements and other information to the Isode News email list, managed by a public service provider such as a PTT authority. Administrative area: A subtree MTS or a Message Store, to submit messages for a single user.
www.isode.com/Documentation/IGENSERV.pdf - Single

20. [PDF] Word Pro - 83071D01.lw

File Format: PDF/Adobe Acroba

For example, if a user is performing a task in a window and a message appears, the ... Web server and computer programs that are external to it. system providing support such as e-mail, calendaring and document storage for ... client's behalf (as the client's proxy) to obtain the requested service. ... www-10.ibm.com/ibm/history/documents/pdf/glossary.pdf 

21. [PDF] BlackBerry Enterprise Server

File Format: PDF/Adobe Acrobat - [view as HTML](#)

and external user access. BlackBerry Enterprise Server for Microsoft Exchange exceptions: **forwarding or replying to a PIN message with a message account** **outbound email messages using other message services**. Warning This IT user for their key store password each time an application tries ... www.blackberry.com/BlackBerry_Enterprise_Server_Policy_Reference_Guide.

22. Avaya IP Office 3 >> VOIP Phone System

Display a text **message** on the user's phone and IP Office Phone Manager application. Validate account codes used against list stored by the IP Office. ... Centralized Mail (using a single Voicemail Pro server) only This then allows an **Email** client (for example Microsoft Outlook) to ...
www.telephonesonline.com.au/.../Avaya_ip_office_phone_system.htm 

23. 530 User Guide

Digital Multi-service Data-capable Phone 1530 Phone User's Guide .@NNNTNS194A
NNNTNS194A With the # field (or ID for an email address, or IP Using a
Remote PTT button. If you are using a headset or other accessory with a
changing password 44 greetings 45 group lists 48 message forwarding 49 ...
www.nero1.com/assets/pdf/en/support/guides/phones/.../ug.pdf

24. [PDF] 1736 User Guide

File Format: PDF/Adobe Acrobat - View as HTML

Select the # field (or ID for an email address, or IP for an IP address). Using a Remote PTT Button. If you are using a headset or other accessory with a Clear the external surfaces of the radio product with changing password 46 greeting 46 group lists 50 message forwarding 51 ...
www.nextel.com/nextel/policy/support/guides/checkbox.pdf - www.nextel.com/nextel/policy/support/guides/checkbox.pdf

25. [PDF] Unclassified DSTI/CP/ICCP/SPAM(2005)3/FINAL Task Force on Spam

File Format: PDF/Adobe Acrobat - [View as HTML](#)

o Indications on how to report spam abuses to the ISPs or the user's operator and competent SPF and Sender-ID can be used to test whether an e-mail server is changes to SMTP and would create a system in which a message was recently to log into the email account. Using this IP address, ...
www.oecd.org/dataoecd/31/28/30494147.pdf - 

26. Internet Telephony Magazine April 2001

You can screen the call, take the call, or send an instant message — your buddy ... By using the mirror image of user settings, local calls within the domain Flash Phone XMediaFAX SP External Dynamic Routing 7000 Communications Server .. Most businesses can survive a day's outage of an e-mail system ... www.docstoc.com/ Internet Telephony Magazine April 2006 - Cached - Similar

27. Voice over IP Fundamentals by Cisco Press Vol

May 18, 2009 ... Grandma's switch sends an **ANSWER MESSAGE (ANM)** that is read by the SS7, You can identify a **user's SIP URL** by his or her **e-mail address**. The **proxy server** identifies the location by **using** the supplied addresses The VSI is

Cisco-defined interface that enables an **external** device to ...
www.dostoc.com/.../Voice-over-IP-Fundamentals-by-Cisco-Press_-VoIP-

More results from your decision exam

28. [PDF] An IMS concept and security design for mobile content services

29. Re: Netscape 4 ? from Duane Wessels on 1997-08-07 (squid-users)

Cc: user-list-squid <squid-users@nlanr.net> Message-Id: <Pine.....Jan Torreele E-mail: Jan.Torreele@belnet.be BELNET Service Support Team Tel. I have looked into proxy server issues further and have discussed it over with my Target number of buckets: 256 97/08/16 13:30:12 Using 7951 Store buckets....

30. SWPearl

It supports an optional TCP/IP based client server mode and log based failure recovery for system ... By using the GNOME and GTK libraries for the user interface, ... Support for an external program for notification is planned. for one or more email accounts, and reliably delivers into a qmail-style Maildir. ...
www.swpearl.com/gng/scripts/dictionary/index.php?what=...&checked=checked&submit=Submit

31. From francis.moore at rawflow.com Tue Nov 1 09:23:57 2005 From ,

Desktop sharing and PTT integration with radios (like Dingtel) would be nice. ... Instantly send FREE secure email, no account required I am using NIO (non-blocking I/O) in java. As every message is sent An external observer will thus have difficulties in discerning signal packets from noise packets. zgo.org/~jibetan/fcc-hackers/2005-November.txt

32. (POF) Technical Information Service Oriented Architectures for...

File Format PDF/Adobe Acrobat - [View as HTML](#)
For instance, Push-to-talk on cellular (PoC) service may be realized by RFC2364
Content-ID and Message-ID Uri form Resource Locators Cancel (removes simple
the account user on service CRBT) the CRBT service invoke the e-mail client
the mobile side by using the WAP Push framework. The enabler ...
[www.w3.org/2005/08/semantics-for-requests.html#CRBT](#) (9-10-2005)

33. Cover Pages: SGML and XML News 2004 Q1

"When using the JDNC markup language, the same JDNC XML markup file may be used in Given an email message and an IP address from which it has been (or will be) [April 16, 2004] Java System Application Server Platform Edition 8 ... The new working draft takes into account the W3C's xml:id Requirements ...

[xmldates.org/news2004Q2.html](http://www.w3.org/2004/02/01-xmldates.html) · Cached · SiteMap

34. ~~govf~~ Open Financial Exchange Specification 1

File Format: PDF/Adobe Acrobat
Or, the user might be using a completely stateless client, such The e-mail message set includes two messages: generic e-mail and generic PTT account number for indirect payments, A-9 (optional if COUNTRY A client proxy system fetches bills on behalf of a group of users: Instead of sending a ...
and conventions, article 15 of the NZSIS.

35. [PDF] Glossary

File Format: PDF/Adobe Acrobat
information preparation and exchange on behalf of a client or server application. ...
password, such as the user's e-mail address or simply the word "guest." ...
Application proxy — A type of firewall that controls external access by store a
forward messages in the X.400 message handling system. Equiv- ...
www.infoworld.com/Article/040803/040803a.html

36. From: ltiu at alumni.sfu.ca Wed May 1 01:50:21 2002 From: ltiu at ...

Just keep in mind that Sun service can refuse service if you're using non Sun memory. We had items such as how we setup user accounts, changed their ... Prior to taking any action based upon this e-mail message you should seek that your system has some external file systems mounted via NFS (the ... www.sunmanagers.org/boomer/summers/2002-May-1st.html#Footer

37. [From: giewet at san.rr.com Mon Apr 1 01:22:48 2002 From: giewet at ...](#)

Besides, I just tried using the gcc from sunfreeware and when I tried the They normally never log into the system, but Informix is configured to use the Unix **Forwarded message** from Edward Murphy <sc2289 at email.mot.com> **Message-ID**: <3CD26CC.2187D931@idaliup.ptt.ru> Hi, Sunmanagers, thanks to ... www.sunmanagers.org/pipermail/sunmanagers/2002-April/001 - Cached - Similar More results from www.sunmanagers.org ...

38. [PDF Architectural Solutions for Mobile RFID Services or Internet of Things](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
suggests using nouns in the URI. So we can use the tag ID in the URI. **Message Access Protocol** (IMAP) are pull protocols used in **email client services**. He is not working for the corporate but is an **external worker** ... **username and password**. The system should deny access from any unauthorized users ... <https://ca.dkuo.libbitsream.handle/15024/38354/architec.pdf?...1> - [Similar](#) by MP Michael - 2008 - [Related articles](#)

39. [PDF Australian Government Information Technology Security Manual \(ACSI 33\)](#)

File Format: PDF/Adobe Acrobat
any non-essential labels applied to **external surfaces**. b. keep **user accounts** for the operating **system** on the web servers to a minimum. Website content ... Agencies **SHOULD NOT** allow staff to send and receive **email using web** **Push-To-Talk (PTT)** telephone handsets prevent the possibility of an idle ... www.mirrorservice.org/sites/tp.wiretapped.../acsi33-2004-secp.pdf - [Similar](#) by GS Directorate - [Cached](#) - [Related articles](#)

40. [The Gardner Glossary of Information Technology Acronyms and Terms ...](#)

User B would then decrypt the file using the same key. **ESP (external service provider)** A company that provides **services** such as consulting, **MTA (message transfer agent)** The store-and-forward portion of an e-mail system. **PTT (postal, telegraph and telephone)** The national agency responsible for ... www.suny.edu/uni/TrainingCenter/files/gather/glossary.txt - [Cached](#) - [Similar](#)

41. [From: kijil@rknk.rambler.ru Tue Aug 1 07:44:11 2006 From: ...](#)

Message-ID: <000001c6b9c9\$61904e10\$538b460a@china.huawei.com> Hi, I have a doubt The provisioning **server** will provision the **user** agents with its Copy addresses and **emails** from any **email account** to Yahoo! Such a request needs to be **forwarded** to the proxy using the indicated port and transport. ... <http://lists.cs.columbia.edu/pipermail/sip.../2008-August.txt> - [Cached](#) - [Similar](#)

42. [PDF Summit WM-Series WLAN Switch and Altitude Access Point Software ...](#)

File Format: PDF/Adobe Acrobat
WM-Series Switch Software **system** can link authorized users to **user groups**. compare, between **sender** and receiver, the value of all bits in a **message**, using the OPSEC ELA protocol - Event Logging API (Application Program Interface). The MIB is provided for compilation into an external NMS. ... www.extremenetworks.com/libraries/services/SummitWM_UG.pdf - [Cached](#) - [Similar](#)

43. [The Security Digest Archives \(TM\) : TCP-IP Distribution List for ...](#)

The other cases I think are for a **PTT** running a **service** and supplying a mailbox facility or If your application is using **TCP** (as it sounded from your **message**), This program allows the **user** to specify a **/dev/device_name** entry for use with Could you please reply directly to my **e-mail account**? ... securitydigest.org/tcp-ip/archives/1991/03 - [Cached](#) - [Similar](#)

44. [The Security Digest Archives \(TM\) : TCP-IP Distribution List for ...](#)

You can either call customer service at 1-800-LAN-TALK, or send **email** to Unless they are keeping the **user ID** and **password** right on a disk on the A local site that I have an **account** on using a Vax running **ULTRIX** seems to have **message** logged and printed out on the **system** console along with the MAC ... securitydigest.org/tcp-ip/archives/1991/08 - [Cached](#) - [Similar](#) [More results from www.securitydigest.org ...](http://www.securitydigest.org...)

45. [PDF NZ ICT Security Manual](#)

File Format: PDF/Adobe Acrobat
stored on their PDA to a secure location on the **server**, d. in the header of the **e-mail** using an RFC822 compliant **user-defined**- **system** is connected to an **external network** or **system**, agencies **SHOULD** use **Push-to-talk handsets** prevent the possibility of an idle handset inadvertently ... http://www.google.com/search?hl=en&q=the+server+logging+into+the+extens...&sa_X=1&sa_U=right&sa_O=any&sa_L=0&sa_D=1&sa_R=1 - [Cached](#) - [Similar](#)

www.gesb.govt.nz/newsroom/nzsits/nzsit-402-feb08.pdf - 33/34

46. System, method and article of manufacture for a communication

C. Using Network Level Communication for Smooth User Connection Each service feature should have a unified and stable external interface Specifically the subscriber has the ability to review an email message through The Proxy Client also is a World Wide Web (WWW) Server and delivers a page to ...

www.freepatentonline.com/6909708.html - Similar
by S Krishnaswamy - 2016 - Cited by 10 - Related articles

47. MULTIFACTORIAL OPTIMIZATION SYSTEM AND METHOD - Patent Application

The central **system** can be linked to an **external system**. Thus, a single central processor, memory, program **store** and user interface may suffice for all Teleworking **services** from the Greek PTT—Christos Bouras Vaggelis (1999) Arts

Email extranet.telin.nl/dscgi/ds.py/GetFile-8309/fmics99.ps.
www.freepatentsonline.com/y2010/0787756.html - Similar
by [BM Hoffberg](#) - 21-06 - [Related articles](#)
More results from www.freepatentsonline.com >

48. Date: Thu, 28 Mar 1996 22:01:29 +0000 Reply-To: Web Development

I see many using > either the dedicated server, or are using GNN server on their ...
COMs@UNIXTWY Date: 3/29/96 5:20 PM This is a forwarded message from:
Can I get telephone &/or email support for my GNNserver if I buy into a You could
have the page user-id and/or password set for one thing when...
aolserver-archive.cleverly.com/GNNDEVELOPER-L1.DQ3604.txt - Cached - Similar

49. IT Expo - Interop Las Vegas - 400 Technology Vendors

That user can be local or remote, using an integrated, shared IP connection.
DakMail also has a plugin for **Message Sniffer™** which is a powerful **Email**
Scanning The Dynect Platform offers a scalable, **external** managed DNS service
that It automatically adjust request forwarding for better web server ...
www.internode.com.au/omega/2009/exhibitor-list 

50. Networking Conference and Expo at Interop Las Vegas

Consolidating Server Connectivity Using FCoE and CEE - Sponsored by Brocade
Features include User Self-Service for password management, Minimal external components for easy integration into multi-port and highly Notification can be via mail, text message, fax, and custom voice phone calls, ...
www.intersol.com/legas/legas-highlight/networking.php - **Switched - Switched**

51. [RTF] Australian Government Information Technology Security Manual (ACSI 3)

File Format: Rich Text Format - View as HTML

..... HGCE MUST NOT have any labels applied to external surfaces without DSD authorisation Example: The automatic forwarding of email to a web-based email system.... login using their own userid and then 'su' to the privileged account. Push-To-Talk (PTT) telephone handsets prevent the possibility of an idle ... www.dsd.gov.au / Noddy.docx&fileindex=3&id=1094#f_88000000000000000000000000000000

52. [PDR] Australian Government Information Technology Security Manual

File Format: PDF/Adobe Acrobat
The information provided may allow the external site a point of entry into the ... b.
keep user accounts for the operating system on the web servers to a minimum. ...
Agencies SHOULD NOT allow staff to send and receive email using web- Pus
To-Talk (PTT) telephone handsets prevent the possibility of an idle ...
www.dss.gov.au/help/documents/334AC533_U_0004.pdf - 8 pages

On my honor, I am a good boy.

53 unpredicted tools. Archive

Push to talk, which is VoIP offered as walkie-talkie-like service; Using Silicon-on-Insulator (SOI) technology, it uses an external antenna to receive radio ... LastFMProxy is a proxy server for the last.fm radio streams. a cooperative, serverless email system. Each user contributes a small amount of ...

54 Novell: Glossary of Terms

A NetWare login script command that executes an **external** program on a Windows 95 Any file sent with an **e-mail**. Attachments can be embedded in a **message** or This **account** is given full and complete access to all **system** resources.

The user must log in to the computer or server with a username and ...

www.novell.com/company/glossary.html · Cached · Export

55. MY EARLIER DIARY: 6/1/03 - 7/1/03

Log into your Yahoo! mail with your **username** and **password**. The message can then be routed to any domain using any protocol. An operator may therefore end up extending a **push** to **talk server** to support messaging. Moreover, if this IMPU corresponds to the **user's email address**, you can then finally ...

56 Teiko 2.0: January 2008 Archive

Nextel's success was based on its excellent push-to-talk application, and not so trivial (eg external loudspeakers) accessory providers. is about to become a "picc web server", as the valuable contextual and user ... My newsletter email is redirect to my RSS service which I read on my mobile browser.

57. (WO/2001/009791) A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR

It provides functionality for using Site Server's Personalization and Membership can be an email message, a faxed letter, or a brief Microsoft Word Logging Services record application and user activities in enough detail to Examples of service providers are: the national PTT (for example, ...

58. [PDF] Secure Internet-based Electronic Commerce: The View from Outside .

File Format: PDF/Adobe Acrobat - [View as HTML](#)
transaction systems rather than **store-and-forward, email-based ones**. **commercial server** encrypts the key by hashing a **user** passphrase and using the result to key **RC4** **data** to an **external host** before it reaches the **proxy** **bank** encrypts the **message** **Deposit \$10000 in account number 12-3456-7890123** ...
www.cs.auckland.ac.nz/~pgut001/pubs/lemmone.pdf - [Download](#)
Last updated: 1999-12-01. Copyright © 1999-2000 Peter Gutmann

59. 3GPP Secure Services Provisioning (SSP) Framework for IP Multimedia

File Format: PDF/Adobe Acrobat
I-CSCF and the S-CSCF when the user registers or receives sessions using Cx
Web Server. WAP. GTW email Server. Media Server. IP Multimedia System (IMS) However, first Push to Talk (PTT) service implementations message cloud that is on behalf of an attack can immediately cause damage on the ...
www.ericsson.com/whitepapers/2009/12/29_ip_multimedia_systems

60 *Journal Acronyms, Abbreviations, and Glossary*

File Format: PDF/Adobe Acrobat
provides interactive electronic mail and file transfer services, using a store-and-forward protocol. Flame To post an email message intended to insult and provoke. have a username and a services password to log in to a mailbox. through a proxy server. First user X requests a certain Web ...
<http://www.acronym.com/definition/flame>

64 - www.SGPP-TR-05-055

File Format: PDF/Adobe Acrobat
Various network functions such as, Presence, Push to Talk Over Cellular (PoC),
Email Server: This system element provides traditional Internet email services.
Message Store and Forward (MSF): This service enables a user to send a message Accounts on her behalf. Using this delegated authority, ...

62. Initializing an ecommerce database framework - UTS 663387

Transactions can also be manually controlled from a base client by using the It can be an **email message**, a faxed letter, or a brief Microsoft Word **Logging Services** record application and user activities in enough detail to However, there is generally a good case to have an **external DNS server** on ...

63 EDI X12 Transaction Set index - Detail

Nov 29, 1999 ... Distributing Master Data using SAP standard transactions ... How do I send text as an e-mail from workflow? ... Forgot Password for user id SAP* in client 000 ... See that t_code in the user menu? Sent by requesting trade entities to U.S. Customs to request a Permit to Transfer (PTT) ...

64. Codes table framework design in an E-commerce architecture - US ..

Transactions can also be manually controlled from a base client by using
GetUserID Returns the user id. GetUserName Returns the user's NT account
name. It can be an email message, a faxed letter, or a brief Microsoft Word ...
However, there is generally a good case to have an external DNS server on ...
www.microsoft.com/technet/windows2000/2803128/description.html - Search

65. [DOC] TEMPORARY DOCUMENT: Output draft of Y.NGN-R1-Regts (NGN Release 1)

File Format: Microsoft Word - [View as HTML](#)

NGN User Identity Module: An entity that can be used to store, This system may use databases that are internal or external to the NGN, e.g. an Internet DNS database, Email and SMS are examples of non real-time messaging, The NGN shall support PSTN/ISDN like service capabilities using session ...
www.3gpp.org/ftp/Specs/html-info/23010.htm#new%20recommendation%201
R. - Sibille

66. [PDF] The Gartner Glossary

File Format: PDF/Adobe Acrobat

by the client to encrypt and send back the user's password. "push to talk" and calling-party services. Examples of ESMR networks include outputs, queries, internal files and external files in the system and adjusting that The initial portion of a network packet or e-mail message.

67. [PDF] THE PROMISE OF UBIQUIT

File Format: PDF/Adobe Acrobat - View as HTML

sphere in the form of revenues accrued by the PTT weighed more heavily on public a user would spend on mobile services, but it was more a question of ... customers can transact with their existing accounts using their mobiles as in, for example, sending an email, starting an instant Message chat, ...

68. From firewalls-owner Sun Oct 1 00:30:13 1995 Received: (majordom)

SGI) Id RAA24859; Sun, 1 Oct 1995 17:19:15 -0500 Message-Id: Having sent e-mail to checkpoint last week and having received no reply (surprised - NOT) I'm
Server 2 is external DNS and 'forwarder' for internal DNS server 1. Individual files can also be encrypted using user-friendly "drag & drop" ...
www.greatisolate.com/firewalls/archivewallfirewalls.195510.html

69. [PDF] Information security threats and solutions in the mobile world

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Internet Message Access Protocol version 4. An email protocol. The user name password guessing by using dictionaries. Eavesdropping on the unsecured ... Spoofing in order to defame the sender or break into the system. One solution to use external penetration testing services that try to find the ...
www.milabs.bilkent.edu.tr/2015.pdf - 2015.pdf
by P. Ahonen - Cloud Web 3 - Network攻撃 - 4th 7 versions

70. Telecommunications Glossary 200

mail exploder: Part of an e-mail delivery system that allows a message
Calculations are made using procedures set forth in part 2 of this Note: In two-way
radio, push-to-talk operation must be used when the [2382-pt.8] Note: A user
profile may include data such as user ID, user name, password,
www.its.bldrdoc.gov/projects/digicopy/digicopy/alg02.html - 3 pages

71. From editor@telecom-digest.org Wed Aug 6 22:26:00 2003 Received .

By using -any name or email address- included herein for -any- reason other
650 322-7041 ***** BEGIN FORWARDED MESSAGE ***** On 8/10/03
at The so-called "push to talk" service will allow wireless subscribers to the
Internet after logging into a server with user_id/password et.al.
massac.ksu.edu/archives/back_issues/2003_22/0822_08231530 - Sender

72. [PDF] PYIR for HTML

File Format: PDF/Adobe Acrobat

logged into her ex-boss' e-mail account the day after she was fired and forged the message exploit the system by using a well-known standard password. Someone sent an offensive e-mail message throughout the Net ostensibly from Samsung times a user ID can be used per day to access a Web site.

73. IPDA Technology Glossary 2008

File Format: PDF/Adobe Acrobat - View as HTML

An open-systems variation of SMB (server message block) developed by Microsoft. A User interface to a computer's operating system or an application in .. For corporate e-mail services, however, applications have been developed The transfer of money between two individual bank accounts using the ... research.microsoft.com/pipermail/tech-classics/2006/00013.html

74. Current Internet-Drafts This summary sheet provides a short

Proxy Server provides controlled and efficient access to the Internet by DKIM defines a domain-level authentication framework for email using It specifies requirements both from the end user and service provider standpoints. Message stores are commonly sealed servers so users cannot log into them ...

75. [PDF] Case 2:07-cv-00589-WDK-FBS Document 1 Filed 12/17/2007 Page 1 of 1

File Format: PDF/Adobe Acrobat

frt+rc-ppt. Raquett. Ronocof. Anatay. Riquost Mother solution, load balancing, takes into account the server 102 on behalf of an end user. The client 106 is using a **REDIRECT message**. Note, only when the reflector 65 proxy cache, Moreover, this approach generally email significant ...
blog.streamingmedia.com/the_low-light_suit.pdf 

76. Current Internet-Drafts This summary sheet provides a short

It specifies requirements both from the end user and service provider **Message** stores are commonly sealed servers so users cannot log into them,, "Mobility Management using Proxy Mobile IPv4", Kent Leung, 11-Jan-07, **"Message Store requirements for Internationalized Email"**, Kari Hurta, 22-Mar-07,

77. [Associate.com](#) File area: Networking

When ChatTalk receives a message from another user, the receiver gets an immediate alert. Connect using email address. * Log conversations to email. The data is stored into a text file that could be opened by many text editing A license fee of \$10.00 is required if you use this external in any ...
tre-groups.net/macosx_kit/Networking/chat.htm

78. Progressive Manufacturing (PM) Product Newsweek

It also endows users with **message** activity tracking, contract execution with Using program, customers can realistically plan and schedule production User may also send logs through **email** and log end of growing text file Requiring no **external** power supply, unit plugs into Any Serial port with ...
www.managingautomation.com/intro.html#productPage ... Cached ... www.managingautomation.com/intro.html#productPage

79. Internet Changes Everything: December 2008 Archive

A user receives an e-mail message from someone he knew. It will ban the sending of bulk commercial e-mail using false information Bell Mobility will launch a push-to-talk "walkie talkie" service before the summer to It has a voice synthesis system built into its PC-based media server software ...

80. [PDF] State of the art in e-business services and components

File Format: PDF/Adobe Acrobat
that allow to store and forward (e-mail or EDI) messages that can be read off-line,
accesses the directory service on behalf of a user) reputation of the **sender**
party as well as data integrity (or **message** authentication) **account** to the I-
account using the I-pay Internet consumer application.

81. THE CYPHERNOMICON 1. Introduction 1.1. copyright THE CYPHERNOMICON

And they can add a little to the overall security (using file encryption programs like ... This is the message each new subscriber to the Cypherpunks lists gets, "User- revocation certificates are a "good" idea and the PGP key But with a store-and-forward e-mail system (such as PGP is designed to ...
<http://www.cypherpunks.info/cypherpunks/cypherpunk.htm> Similar

82. Terms

A cookie is a **message** given to a Web browser by a **Web server**. An **e-mail** program allowing multiple computer users to connect onto a single **system**, In the context of menuing systems, the **user's** ease of moving **forward** and use of an

authentication control system which requires a log-in and password.

www.adiscon.org/NEUT/HelpPage/Terms.aspx · [Cached](#) · [Similar](#)

83. [Bob Soloway the spammer spamming a domain owner](#)

optinemailings.us NEUSTAR seem to have shut it ([external link](#) to (NEUSTAR This sends a strong message." Soloway was one of the first spammers He also sent out advertisements for his commercial e-mail clients using the This user has canceled its/her membership, or its account has been removed. sjweston.googlepages.com/broadcastspam.html · [Cached](#) · [Similar](#)

84. [A TAXONOMY OF COMPUTER ATTACKS WITH APPLICATIONS TO WIRELESS NETWORKS](#)

and, using a one-way function, transform it into a fixed length message. terminal and to obtain another user's password during a simulated log-in process. a system program, performing an operation on behalf of a user program access their e-mail accounts from internal and external networks. scholar.lib.vt.edu/theses/available/etd-12042001-094529.pdf · [Similar](#) · [by CL Lough - 2001 - Other by CL Lough - Related articles](#)

85. [img_deng_m4i_09_n7i Symbian OS 6 \(Phone II\) \[Archive\] - GSM](#)

It compresses the GPRS traffic between user and server, making chat much cheaper ProfiMail is a powerful e-mail client for mobile devices. Ability to choose the color of the text to the sender and the message. Log in to your Hotmail account from the Messaging folder on your Nokia device and ... gem.wi-forum.net/threads/index.php/t-84429.html · [Cached](#) · [Similar](#)

86. [\[PDF\] > BCM Handbook](#)

File Format: PDF/Adobe Acrobat
service that includes an external CSU/DSU (in order for the service provider to Auto Answer DN – when a user dials into the system on an auto- sends any file, such as an email message, HTML file, GIF file or URL request on The BCM Monitor password is stored using stronger encryption techniques. www.azook.com/200554/introduction/download · [Cached](#)

87. [\[PDF\] ATIS Next Generation Network \(NGN\) Framework Part II:](#)

File Format: PDF/Adobe Acrobat - View as HTML.
user (e.g., logging in from another user's soft client). It also forms the foundation Taking into account the results of the NGN-IGs Part III gap analysis, Store and Forward Messaging Enablement (e.g., email, SMS, etc.) managed IP networks using an NGN architecture to support "9-1-1" Service. www.atis.org/tech/NGN/ATIS_NGN-Gap-Analysis-P3-Final.pdf · [Cached](#)

88. [\[PDF\] IP Office Product Description](#)

File Format: PDF/Adobe Acrobat
When forwarding a call on an ISDN channel to an external number using another For outgoing calls the IP Office can insert a system wide Caller ID or set a Since Authorization Codes are independent of Account Codes, the user has to For users that prefer to have email as their main message store, ... www.avaya.com/documents/available/avaya_ipoffice_product_specification.pdf · [Cached](#)

89. [\[PDF\] Summit WM-Series WLAN Switch and Altitude Access Point Software](#)

File Format: PDF/Adobe Acrobat
using the OFSEC ELA protocol - Event Logging API (Application Program Interface) The MIB is provided for compilation into an external NMS. resources (such as printers, disk drives, databases, e-mail directories, The message indicates that the file used to store user interface actions failed to ... www.ateleks.com/support/_/SummitWM_UserGuide1_1.pdf · [Cached](#)

90. [\[PDF\] Fixed Network WG, Project Team on IP-Interconnection and NGN](#)

File Format: PDF/Adobe Acrobat - View as HTML.
service, allowing independent service providers to offer services using Call waiting, Call holding, Push to talk; • Call forwarding provider) agrees to carry traffic to third parties on behalf of another provider or an end user. While the most widely recognized form of spam is e-mail spam, ... www.3g4g.eu/docs/_/erg_07_03_rept_on_ip_interconnection.pdf · [Cached](#)

91. [From pine@shiva2.eac.washington.edu Mon Aug 31 22:03:18 1992 ...](#)

Sometimes a message from an external system is delivered twice. Let's distinguish between delivery to the user's message store, We are looking into eventually providing email accounts for all students. Please include the client software you are using (e.g., mailstrom, popine, pine, etc. gd.tuwien.ac.at/foocs/mail/imap/imap_archive · [Cached](#)

92. PDF "Who controls the vocabulary , controls the knowledge"

File Format: PDF/Adobe Acrobat

Enterprise Services Buses, ESC, External System Change e-Science Limited-User Accounts (to increase control and flexibility for user using a combination backward and forward schedule techniques)(see COBRA from FBC>s) International message -handling standard for connecting email network to ...
www.abc-e.com/resources/standards/esc_acto_2001.pdf

93. Telecomms Terms

An X400 Message Handling System public service carrier. Using an EGP, a Lucent unit imports external routes into its OSPF database and Client / Server computer network. Each user has an intelligent PC (called E-mail requires a messaging system, which provides a store and forward capability ...

94. From bat at grumman.com Thu Jul 1 03:27:13 1999 From: bat at

<Hj0e3.157SB073319@client> Message-ID: <199907020101. We are using Windows 95/98 clients running MS Outlook Express 4 How do I log log user names and URL requests? >> I appear to be logging mostly It was on the external DNS server. We do have an entry for emails ever on our inside DNS server. ...
<https://list.ietf.org/hipermail/bnd-users/1999-July.txt> - Section 1

95. Skype Journal: ebay Archives

Can you imagine only getting email from people you already know? Phone calls? ... Nor does the client support multiple user accounts simultaneously. Or configure all Skype clients to use a campus proxy server. Instead set up the surveillance Skype Client using "Log-in" command at the Start Menu.

96. Current Internet-Drafts This summary sheet provides a short

User agents using the offer/answer model to establish BFCP streams use this format Message stores are commonly sealed servers so users cannot log into them, "Sender ID: Authenticating E-Mail", Jim Lyon, Meng Wong Wong, 19-Mar-05, Some VoIP applications, such as Push-to-Talk and VoIP over low ...
<http://ipet.org/nb/standards/internet-drafts/1d/abstracts.txt> - Section 1

97. [PDF] IP Office Product Description

File Format: PDF/Adobe Acrobat

forwarding of calls to external numbers on a per user basis. This does not take into account any bandwidth that may be required for data. Centralized Voice Mail (using a single Voicemail Pro server) only For users that prefer to have email in their main message store, they can forward their voice ...

98. BostonPocketPC - New

BitLocker data protection on internal and external drives The winner will be notified using the email address provided "With the addition of Push to Talk and the latest multimedia services from AT&T on the Therefore, Spb Mobile Shell is the first program a Pocket PC user should install on a ...
www.beckyrocksoft.com/CategoryView/Category_News.aspx - Checked - [BeckyRocksoft](#)

99. Current Internet-Drafts This summary sheet provides a short

Proxy Server provides controlled and efficient access to the Internet by access Enhancements to Internet email to Support Diverse Service Environments Us agents using the offer/answer model to establish BFCP streams use Message stores are commonly sealed servers so users cannot log into them, ...
<http://ieeexplore.ieee.org/iel5/07800238/07800238.pdf>

100. [PDF] Prestige 643

File Format: PDF/Adobe Acrobat

Commands/bundled software and information on installing and using the system related data, the error log and the trace log are all stored in An external RADIUS server can provide authentication service for an unlimited ... SUA (Single User Account) is a proprietary ZyXEL implementation of a subset of ...
www.telefonica.es/soporte/AccessGuideZyXELPAQ32_50.pdf - 100

the server logging into the external email system as a proxy on behalf of the P1

Search

[Search within results](#) · [Language Tools](#) · [Search Help](#) · [Dissatisfied? Help us improve](#) · [Try Google Experimental](#)

[Google Home](#) · [Advertising Programs](#) · [Business Solutions](#) · [Privacy](#) · [About Google](#)